






# Bellows Coupling Design Data Sheet

Technical Contact: \_\_\_\_\_ Company: \_\_\_\_\_  
Phone: \_\_\_\_\_ Fax: \_\_\_\_\_  
Email: \_\_\_\_\_

End Fitting/Hub Requirements:	Envelope Requirements:
<div style="display: flex; justify-content: space-between; margin-bottom: 10px;"> <span><input type="checkbox"/> Machined Hubs</span> <span><input type="checkbox"/> Split Hubs</span> </div> 	<p>A<sub>1</sub>: _____ +/- _____</p> <p>A<sub>2</sub>: _____ +/- _____</p> <p>Max. O.D. (B DIA): _____</p> <p>Length: _____</p>

Performance Requirements: <i>(as applicable)</i>				
<p><b>Maximum Torque</b></p> <p>_____ IN. • OZ.</p>	<p><b>Maximum Angular Misalignment</b></p>  <p>_____ DEG.</p>	<p><b>Maximum Parallel Misalignment</b></p>  <p>_____ IN.</p>	<p><b>Maximum End Play</b></p>  <p>_____ IN.</p>	<p><b>Maximum Wind-up</b></p>  <p><u>ARC-SEC.</u></p> <p>_____ IN. • OZ.</p>

Description of Application: